# 23 GA. 2 in 1 Pin Nailer With Extended Magazine And Front Exhaust Model No: PT606FL



Model No	PT606FL
LxWxH	265x40x180 mm
Weight	1.06 kgs
Gauge	23 GA
Shank Dia	0.64 mm
Fastener Range	5~6 mm
Capacity	200 pcs
Working Pressure	70~100 psi

		0.65	mm
П		- <u>-</u> । √	<del>-</del> -
3 / 16"— 15 / 64"—	— 5 mm	3 / 16"—	— 5 mm
15 / 64"— V	6 mm	15 / 64"—	6 mm
(inch)	(mm)	(inch)	(mm)
	23GA.	Ø0.64 mm	1

# COCO & FRANK LOEWE

APPLICATION

#### **APPLICATION**

- Decorative trim
- Craft work ■ Dowel and joint pinning
- Signboard
- Small piece wooden products
- Seasoning box
- Light wood assv
- Finish and trim work
- Mirror and picture frame assy
- Glazing stips
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

- Special design of magazine for delicate headless and micro head pins
- Double trigger safety lock helps prevent accidental firing of the tool
- Removable nose cover provides easy access to clear fastener jams
- A narrow nose on the pinners allows the tool to reach into tight areas, and detailed work surfaces
- The storage area provides easy access to your no-mar rubber tip and hex wrench used for removing the nose plate
- Auto Lock-out prevents dry-firing of the tool
- The window on the magazine can show if fasteners are low and when reloading is necessary
- A manual override button allows the last several pins to be driven if necessary
- The rear of the magazine is cut-off at an angle to allow the tool to be placed right up to the corner
- Rubber grip for comfort usage
- Extended Magazine for loading more nails up to 200 pcs
- Removable no-mar rubber tip protect your work surface
- Plastic end core on magazine for easy and comfort usage

**Model No: RPT630R** 



Model No	RPT630R
LxWxH	175x40x220 mm
Weight	1.02 kgs
Gauge	23 GA.
Shank Dia	0.64 mm
Fastener Range	12~30 mm
Capacity	120 pcs
Working Pressure	70~100 psi



#### **APPLICATION**

- Light wood assy
- Finish and trim work
- Decorative trim
- Dowel and joint pinning
- Mirror and picture frame assy
- Glazing stips
- Craft work
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

- Drives headless pins and micro head brads
- Rear exhaust conveniently directs exhaust away from user and work surface
- The patented adjust-free magazine for easy using any fastener length
- Double trigger safety lock helps prevent accidental firing of the tool
- Removable nose cover provides easy access to clear fastener jams
- A narrow nose on the pinners allows the tool to reach into tight areas, and detailed work surfaces
- The belt hook provides easy carrying of the tool
- The rear of the magazine is cut-off at an angle to allow the tool to be placed right up to the coner
- Rear exhaust with silence
- The window on the magazine can show if fasteners are low and when reloading is necessary
- Rubber grip for comfort usage

### 23 GA. 2 In 1 Pin Nailer

Model No: RPT630F



Model No	RPT630F
LxWxH	175x40x220 mm
Weight	1.02 kgs
Gauge	23 GA.
Shank Dia	0.64 mm
Fastener Range	12~30 mm
Capacity	120 pcs
Working Pressure	70~100 psi



#### **APPLICATION**

- Light wood assy
- Finish and trim work
- Decorative trim
- Dowel and joint pinning ■ Mirror and picture frame assy
- Glazing stips
- Craft work
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

- Drives headless pins and micro head brads
- The patented adjust-free magazine for easy using any fastener length
- Double trigger safety lock helps prevent accidental firing of the tool
- Removable nose cover provides easy access to clear fastener jams A narrow nose on the pinners allows the tool to reach into tight areas,
- and detailed work surfaces
- The window on the magazine can show if fasteners are low and when reloading is necessary
- Rubber grip for comfort usage
- Plastic end core on magazine for easy and comfort usage
- Front exhaust
- The belt hook provides easy carring of the tool

# 23 GA. 3 In 1 Built-In Air Blower Pin Nailer

Model No: PT630B



Model No	PT630B
LxWxH	220x52x185 mm
Weight	0.95 kgs
Gauge	23 GA.
Shank Dia	0.64 mm
Fastener Range	12~30 mm
Capacity	120 pcs
Working Pressure	70~100 psi



#### **APPLICATION**

- Light wood assy
- Finish and trim work
- Decorative trim
- Dowel and joint pinning
- Mirror and picture frame assy
- Glazing stips
- Craft work
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

- Light weight & well balanced
- Fine precision nose for easy aiming
- No-mar soft plastic nose tip
- Belt hook
- Magazine sight window
- Trigger safety
- Cushion grip
- Comes with carry case
- Built-in blow gun

Model No: RPT635R



#### **APPLICATION**

Working Pressure

- Light wood assy
- Finish and trim work
- Decorative trim
- Dowel and joint pinning
- Mirror and picture frame assy
- Glazing stips
- Craft work
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

#### **FEATURES**

70~100 psi

- Drives headless pins and micro head brads
- The patented adjust-free magazine for easy using any fastener length

23GA. Ø 0.64 mm


- Double trigger safety lock helps prevent accidental firing of the tool
- Removable nose cover provides easy access to clear fastener jams
- A narrow nose on the pinners allows the tool to reach into tight areas, and detailed work surfaces
- The window on the magazine can show if fasteners are low and when reloading is necessary
- Rubber grip for comfort usage
- Convenient belt hook for easy carring tool
- Rear exhaust with silence
- Plastic end core on magazine for easy and comfort usage
- Quick access magazine storage for wrench and no-mar rubber tip
- Powerful motor penetrates through the hardest materials
   Compact and lightweight design for improved maneuverability
- Side loading with mechanism to prevent fasteners from tumbling
- Removable no-mar tip prevents marrring of work surface

# 23 GA. 3 In 1 Built-In Air Blower Pin Nailer

Model No: PT635B



Model No	PT635B
LxWxH	220x52x188 mm
Weight	0.92 kgs
Gauge	23 GA.
Shank Dia	0.64 mm
Fastener Range	12~35 mm
Capacity	120 pcs
Working Pressure	70~100 psi



#### **APPLICATION**

- Light wood assy
- Finish and trim work
- Decorative trim
- Dowel and joint pinning
- Mirror and picture frame assy
- Glazing stips
- Craft work
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

- Light weight & well balanced
- Fine precision nose for easy aiming
- No-mar soft plastic nose tip
- Belt hook
- Magazine sight window
- Trigger safety
- Cushion grip
- Comes with carry case
- Built-in blow gun

Model No: RPT650R



Model No	RPT650R
LxWxH	230x65x225 mm
Weight	1.24 kgs
Gauge	23 GA.
Shank Dia	0.64 mm
Fastener Range	12~50 mm
Capacity	120 pcs
Working Pressure	70~100 psi

# 15/32" — —12mm 15/32" — —12mm 2" — —50mm 2" — 50mm (inch) (mm) (inch) (mm) 23GA. Ø0.64mm

#### **APPLICATION**

- Light wood assy
- Finish and trim work
- Decorative trim
- Dowel and joint pinning
- Mirror and picture frame assy
- Glazing stips
- Craft work
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

- Drives headless pins and small head brads
- Rear exhaust with silence
- The patented adjust-free magazine for easy using any fastener length
- Double trigger safety lock helps prevent accidental firing of the tool
- Removable nose cover provides easy access to clear fastener jams
- A narrow nose on the pinners allows the tool to reach into tight areas, and detailed work surfaces
- The storage area provides easy access to your no-mar rubber tip and hex wrench used for removing the nose plate
- Auto Lock-out prevents dry-firing of the tool
- The belt hook provides easy carrying of the tool
- The window on the magazine can show if fasteners are low and when
- reloading is necessary


  A manual override button allows the last several pins to be driven if necessary
- The rear of the magazine is cut-off at an angle to allow the tool to be placed right up to the coner
- Rubber grip for comfort usage

# 21 GA. 2 In 1 Pin Nailer With Extended Magazine

**Model No: PT830FL** 



Model No	PT830FL
LxWxH	265x40x175 mm
Weight	1.06 kgs
Gauge	21 GA.
Shank Dia	0.84 mm
Fastener Range	12~30 mm
Capacity	150 pcs
Working Pressure	70~100 psi




#### **APPLICATION**

- Light wood assy
- Finish and trim work
- Decorative trim
- Dowel and joint pinning
- Mirror and picture frame assy
- Glazing stips
- Craft work
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

- Drives headless pins and small head brads
- The patented adjust-free magazine for easy using any fastener length
- Double trigger safety lock helps prevent accidental firing of the tool
- Removable nose cover provides easy access to clear fastener jams
- A narrow nose on the pinners allows the tool to reach into tight areas, and detailed work surfaces
- The storage area provides easy access to your no-mar rubber tip and hex wrench used for removing the nose plate
- Auto Lock-out prevents dry-firing of the tool
- The belt hook provides easy carrying of the tool
- The window on the magazine can show if fasteners are low and when reloading is necessary
- A manual override button allows the last several pins to be driven if necessary
- The rear of the magazine is cut-off at an angle to allow the tool to be placed right up to the coner
- Rubber grip for comfort usage
- Extended Magazine for loading more nails
- Removable no-mar rubber tip protect your work surface
- Bigger loading capacity to save your time from reloading pins (150 pcs)
- Plastic end core on magazine for easy and comfort usage

Model No: PT840F



#### **APPLICATION**

Working Pressure

- Light wood assy
- Finish and trim work
- Decorative trim
- Dowel and joint pinning
- Mirror and picture frame assy
- Glazing stips
- Graft work
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

#### **FEATURES**

- Drives headless pins and micro head brads
- Front exhaust

70~100 psi

■ The patented adjust-free magazine for easy using any fastener length

1 9/16" -


21GA. Ø 0.84mm

- Double trigger safety lock helps prevent accidental firing of the tool
- Removable nose cover provides easy access to clear fastener jams
- A narrow nose on the pinners allows the tool to reach into tight areas, and detailed work surfaces
- The window on the magazine can show if fasteners are low and when reloading is necessary
- Rubber grip for comfort usage

**Model No: RPT850R** 



Model No	RPT850R
LxWxH	255x60x225 mm
Weight	1.35 kgs
Gauge	21 GA.
Shank Dia	0.84 mm
Fastener Range	12~50 mm
Capacity	150 pcs
Working Pressure	70~100 psi



#### **APPLICATION**

- Light wood assy
- Finish and trim work
- Decorative trim
- Dowel and joint pinning
- Mirror and picture frame assy
- Glazing stips
- Craft work
- Paneling external softwood trim
- Wall framing
- Truss construction
- Rattan furniture
- Window beading
- Display and sign work

- Drives headless pins and small head brads
- Rear exhaust with silence
- The patented adjust-free magazine for easy using any fastener length
- Double trigger safety lock helps prevent accidental firing of the tool
- Removable nose cover provides easy access to clear fastener jams
- A narrow nose on the pinners allows the tool to reach into tight areas, and detailed work surfaces
- The storage area provides easy access to your no-mar rubber tip and hex wrench used for removing the nose plate
- Auto Lock-out prevents dry-firing of the tool
- The belt hook provides easy carrying of the tool
- The window on the magazine can show if fasteners are low and when reloading is necessary
- A manual override button allows the last several pins to be driven if necessary
- The rear of the magazine is cut-off at an angle to allow the tool to be placed right up to the coner
- Rubber grip for comfort usage